Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	16	((compar\$5 or difference or differ\$5) with (partial\$5) with (full or complete or thorough or comprehensive) with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 15:20
S2	. 8	S1 and ((scanner or scanning or reader or reading or copier or copying) with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 15:58
S3	194	( (partial\$5) with (full or complete or thorough or comprehensive) with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 13:34
S4	47	S3 and ((scanner or scanning or reader or reading or copier or copying) with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 14:09
S5		S4 and prnu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 14:09
S6	2	S4 and (photorespon\$5 or photo-respon\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 14:10
S7	6	S4 and ((adjust\$5 or chang\$5 or modif\$7 or alter\$5 or adapt\$5) near3 gain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/11/16 14:11
S8	0	"6900448".pn. and (compar\$5 with (full) with partial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/11/16 15:03
S9	1	"6900448".pn. and (compar\$5 same (full) same partial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 15:08
S10	1	"6900448".pn. and (compar\$5 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 15:08
S11	18	((compar\$5 or difference or differ\$5 or deviat\$5) with (partial\$5) with (full or complete or thorough or comprehensive) with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 15:57
S12	10	S11 and ((scanner or scanning or reader or reading or copier or copying) with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 15:58

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	"858079" ap. and "110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 16:02
S2	1	"858079".ap. and "global" .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 16:04
S3	3	"858079".ap. and gain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 16:06
S4	7410	(calibrat\$5 with (scanner or scanning or ((bar-code or (bar adj2 code) or image) adj2 (reader or reading))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 16:07
S7	5	S5 and ((first or full or complete or thorough or comprehensive) adj2 calibrat\$5) and ((second or partial\$5 or basic or quick or incomprehensive) near3 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 16:14
S5	19	S4 and (((adjust\$5 or chang\$5 or adapt\$5 or modif\$7 or alter\$5 or improv\$5 or increas\$5 or decreas\$5) near3 gain) same (compar\$5 near3 calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 16:15
S8	5	S5 and ((first or full or complete or thorough or comprehensive or reference) adj2 calibrat\$5) and ((second or partial\$5 or basic or quick or incomprehensive) near3 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 16:16
S10	19	S9 and ((first or full or complete or thorough or comprehensive or reference) adj2 calibrat\$5) and ((second or partial\$5 or basic or quick or incomprehensive) near3 calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 16:17
S11	7410	(calibrat\$5 with (scanner or scanning or ((bar-code or (bar adj2 code) or image) adj2 (reader or reading))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:09
S9	45	S4 and (((adjust\$5 or chang\$5 or adapt\$5 or modif\$7 or alter\$5 or improv\$5 or increas\$5 or decreas\$5) near3 gain) same ((differ\$5 or chang\$5 or deviat\$5 or compar\$5) near3 calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:09
S14	0	"6172772".pn. and periodi\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:20
S13	1	"6172772".pn. and gain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:20
S16	. 1	"6172772".pn. and need\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:21

		I	1	r	·	1
S15	2	"6172772".pn. and time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:21
S17	1	"6172772".pn. and temper\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:30
S22	· 1	"6172772".pn. and limit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:31
S21	1	"6172772".pn. and threshold\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:31
S20	0	"6172772".pn. and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:31
S19	2	"6172772".pn. and predetermin\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:31
S18	0	"6172772".pn. and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:31.
S12	2	S11 and (((adjust\$5 or chang\$5 or adapt\$5 or modif\$7 or alter\$5 or improv\$5 or increas\$5 or decreas\$5) near3 gain near4 (overall or global\$5)) same ((difference) near3 calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2006/11/18 09:37
S24	6	S11 and ((gain) same ((difference) near3 calibrat\$5) with (tolerance or threshold\$5 or predetermin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:38
S27	1	"6172772" pn. and difference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:50
S26	1	"6172772".pn. and less	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:50
S25	1	"6172772".pn. and again	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:50
S29	1	S11 and ((difference) near3 calibrat\$5) with (below) with (tolerance or threshold\$5 or predetermin\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ,	ON	2006/11/18 09:54

			•		• •	
S28	3	S11 and ((difference) near3 calibrat\$5) with (less) with (tolerance or threshold\$5 or predetermin\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:54
S32	1	S11 and ((difference or change or fluctuat\$5) near3 calibrat\$5) same ((below) with (tolerance or threshold\$5 or predetermin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:55
S31	1	S11 and ((difference or change) near3 calibrat\$5) same ((below) with (tolerance or threshold\$5 or predetermin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:55
S30	1	S11 and ((difference) near3 calibrat\$5) same ((below) with (tolerance or threshold\$5 or predetermin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:55
S33	4	S11 and ((difference or change or fluctuat\$5) near3 calibrat\$5) same ((below or less) with (tolerance or threshold\$5 or predetermin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:56
S34	<b>38</b>	S11 and ((difference or change or fluctuat\$5) with (first or full or initial or primary or main) with calibrat\$5 with (second or partial or secondary or subsequent)) and ((below or less) with (tolerance or threshold\$5 or predetermin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:57
S35	9	S11 and ((difference or change or fluctuat\$5) with (first or full or initial or primary or main) with calibrat\$5 with (second or partial or secondary or subsequent)) same ((below or less) with (tolerance or threshold\$5 or predetermin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 09:59
S36	2	"5424537".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 10:03
S37	2	"4602291".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 10:05
S39	2	"4602291".pn. and difference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 10:06
S38	2	"4602291".pn. and gain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 10:06
S40	2	"5424537".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 10:22
S41	2	"6518587".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 10:25

		·	,		γ	
S42	1	"6518587".pn. and gain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 10:30
S44_	1	"6518587".pn. and (dark adj2 reference with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 10:31
S43	1	"6518587".pn. and (light adj2 reference with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 10:31
S47	1	"6518587".pn. and (desir\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 10:33
S46	0	"6518587".pn. and (desired)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 10:33
S48	0	"6518587".pn. and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 10:35
S45	2	"6518587".pn. and (reference with calibrat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 10:35
S50	1	"6518587".pn. and difference same profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 10:36
S49	2	"6518587".pn. and difference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 10:36
S23	1	S11 and (((adjust\$5 or chang\$5 or adapt\$5 or modif\$7 or alter\$5 or improv\$5 or increas\$5 or decreas\$5) near3 gain) same ((difference) near3 calibrat\$5) with (tolerance or threshold\$5 or predetermin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 10:45
S51	1	S11 and ((((adjust\$5 or chang\$5 or adapt\$5 or modif\$7 or alter\$5 or improv\$5 or increas\$5 or decreas\$5) near3 gain) with (reference or stored)) same ((difference) near3 calibrat\$5) with (tolerance or threshold\$5 or predetermin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 10:46
S52	2	S11 and ((((adjust\$5 or chang\$5 or adapt\$5 or modif\$7 or alter\$5 or improv\$5 or increas\$5 or decreas\$5) near3 gain) with (reference or stored)) same ((difference) near3 calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 10:53
S53	12	S11 and ((((adjust\$5 or chang\$5 or adapt\$5 or modif\$7 or alter\$5 or improv\$5 or increas\$5 or decreas\$5) near3 gain) with (reference or stored)) same ((difference or change or fluctuat\$5) near3 calibrat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 11:12

S55	0	S11 and ((((adjust\$5 or chang\$5 or adapt\$5 or modif\$7 or alter\$5 or improv\$5 or increas\$5 or decreas\$5) near3 gain) same ((reference or stored) with (difference or change or fluctuat\$5) near3 (less or below)) ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 11:13
S54	0	S11 and ((((adjust\$5 or chang\$5 or adapt\$5 or modif\$7 or alter\$5 or improv\$5 or increas\$5 or decreas\$5) near3 gain) with (reference or stored)) same ((difference or change or fluctuat\$5) near3 (less or below)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 11:13
S56	2	S11 and ((((adjust\$5 or chang\$5 or adapt\$5 or modif\$7 or alter\$5 or improv\$5 or increas\$5 or decreas\$5) near3 gain) and ((reference or stored) with (difference or change or fluctuat\$5) near3 (less or below)) ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/18 11:18